

PPC-GS2151T/PPC-GS217XTA

Pictures:



Features:

1. 21.5" Resistive touch screen
2. Chipset: Intel®--Celeron J1900/3855U/3865U/Core I3/I5/I7
3. RAM: DDR3/ DDR4 2GB, up to 16GB
4. Provide 4*USB+4*COM port
5. 2*1000M LAN port

Specification:

Display	Screen	21.5" TFT LCD
	Resolution	1920*1080
	Brightness	250 cd/m2
	Contrast ratio	1000:1
	Touchscreen	Resistive touch screen
Performance	Chipset	Intel® Celeron J1900/3855U/3865U/Core i3/i5/i7
	Memory	J1900 DDR3 2GB, up to 8GB 3855U/3865U/ Core i3/i5/i7 DDR4 2GB, up to 16GB
	Hardware Monitor	Monitors voltage, CPU,TEMP
	Watchdog Timer	0-255 sec by software
	Storage	SSD 64GB, up to 512GB
Power	Power Supply	9-24V DC(9-36V optional)
O/S	O/S	Windows 10、Linux(J1900 also supports Windows 7)
I/O Port	USB	J1900:3*USB2.0+1*USB3.0 3855U/3865U/Core6th/7th: 4*USB 3.0
	COM	4*RS232 (1~2*RS485/RS422 optional)
	Ethernet	2*1000M LAN
	Audio	1*Line-out+1*Mic
	MiniPCIe	1*MiniPCIe(optional WIFI/3G/4G)
	GPIO	1*4 in/4 out(optional,occupy one COM port)
Environmental	Anti-vibration	5-19Hz/1.0mm amplitude;19-200Hz/1.0g, acceleration
	Anti-shock	10g acceleration, 11ms duration
	IP Level	Front panel IP65(optional)
	Reliability	MTBF≥5000h; MTTR≤0.5h
	Operating Temperature	-10°C--60°C with air flow
	Storage Temperature	-20°C --60°C
	Operating Humidity	95% @40°C, non-condensing
Mechanical	Dimensions	525mm(L)*316mm(W)*57mm(H)
	Mounting Size	VESA mounting: 100*100mm Embedded mounting: 503*248
	Material	Fanless High-strength and elegant Al-alloy panel
	Weight	/
	Color	Silver
Order information	PPC-GS2151T	21.5"/J1900/2G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2171T	21.5"/3855U/2G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2172T	21.5"/3865U/2G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2173T	21.5"/6th Gen i3/4G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2174T	21.5"/6th Gen i5/4G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2175T	21.5"/6th Gen i7/4G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2176T	21.5"/7th Gen i3/4G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2177T	21.5"/7th Gen i5/4G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A
	PPC-GS2178T	21.5"/7th Gen i7/4G/64G/4USB/4RS232/2LAN/VGA/HDMI/12V5A

